



* KIT PARTS

POS.	DENOMINATION	Q.	MATERIALS	STANDARDS
1	Cylinder	1	Stainless steel	AISI 316 - DIN 1.4408
2 *	Cap o-ring	2	Nitrilic rubber	
3	VDI/VDE Plate (optional)	1	Stainless steel	AISI 303 - DIN 1.4305
4	Namur Plate (optional)	1	Stainless steel	AISI 303 - DIN 1.4305
5	Shaft	1	Stainless steel	AISI 303 - DIN 1.4305
6	Screw	6	Stainless steel	AISI 304 - DIN 1.4301
7	Cap	2	Stainless steel	AISI 316 - DIN 1.4408
8	Screw	4	Stainless steel	AISI 304 - DIN 1.4301
9	Seeger	1	Stainless steel	UNI 3653 - DIN 471
10	Washer	1	Stainless steel	UNI 3653 - DIN 471
11	Scotch yoke	1	Steel alloy	UNI 90MnVCr8Ku - DIN 1.2842 Hardened
12	External elastic pin of the yoke	2	Steel alloy	DIN 1481
13	Internal elastic pin of the yoke	1	Steel alloy	DIN 1481
14	Upper Shaft support	1	Acetalic resin	
15	Support bush	2	Acetalic resin	
16	Lower Shaft support	1	Acetalic resin	
17*	O-ring (upper sealing shaft)	1	FKM	
18*	O-ring (low sealing shaft)	1	FKM	
19	Piston	2	Aluminium Alloy	EN AB 46100
20*	Piston's support	4	P.T.F.E. Carbo-Graphite filled	
21*	Dynamic seal (piston)	2	Polyurethane	
22*	Piston o-ring	2	Nitrilic rubber	
23	Rotative sleeve	2	Steel alloy	
24	Bush	2	Steel alloy	UNI 110w4Ku - DIN 1.2516
25	External support ring	1	Acetalic resin	
26	O-ring (optional)	2	Nitrilic Rubber	