



\* KIT PARTS

POS.	DENOMINATION	Q.	MATERIALS	STANDARDS
1	Cylinder	1	Stainless steel	AISI 316 – DIN 1.4408
2*	Cap o-ring	2	Nitrilic rubber	
3	Shaft	1	Stainless steel	AISI 303 - DIN 1.4305
4	Screw	6	Stainless steel	AISI 304 - DIN 1.4301
5	Cap	2	Stainless steel	AISI 316 – DIN 1.4408
6	Seeger	1	Stainless steel	UNI 3653 - DIN 471
7	Washer	1	Stainless steel	UNI 3653 - DIN 471
8	Lower shaft support	1	Acetalic resin	
9	Upper shaft support	1	Acetalic resin	
10	Scotch yoke	1	Steel alloy	UNI 90MnVCr8Ku - DIN 1.2842 Hardened
11*	O-ring (low sealing shaft )	1	FKM	
12	External elastic pin of the yoke	1	Steel alloy	
13	Internal elastic pin of the yoke	1	Steel alloy	
14	Piston	2	Aluminium alloy	EN AB 46100
15*	Piston's support	4	P.T.F.E. Carbo-Graphite filled	
16*	Dynamic seal (piston)	2	Polyurethane	
17	Rotative sleeve	2	Steel alloy	
18	Bush	2	Steel alloy	UNI 110w4Ku - DIN 1.2516
19*	Piston o-ring	2	Nitrilic rubber	
20	Lower support bush	1	Acetalic resin	
21	Upper support bush	1	Acetalic resin	
22*	O-ring (upper sealing shaft )	1	FKM	
23*	External support ring	1	Acetalic resin	