



* KIT PARTS

POS.	DENOMINATION	Q.	MATERIALS	STANDARDS
1	Cylinder	1	Stainless steel	AISI 316 – DIN 1.4408
2*	Cap o-ring	2	Nitrilic rubber	
3	Shaft	1	Stainless steel	AISI 303 - DIN 1.4305
4	Screw	6	Stainless steel	AISI 304 - DIN 1.4301
5	Cap	2	Stainless steel	AISI 316 – DIN 1.4408
6	Spring loading screw	2	Stainless steel	AISI 304 - DIN 1.4301
7	Nut	2	Stainless steel	AISI 304 - DIN 1.4301
8	Spring cap	2	Steel alloy	
9	Spring	2	Steel alloy	
10	O-ring	2	Nitrilic rubber	
11	Seeger	1	Stainless steel	UNI 3653 - DIN 471
12	Washer	1	Stainless steel	UNI 3653 - DIN 471
13	Lower support bush	1	Acetalic resin	
14	Upper support bush	1	Acetalic resin	
15	Lower shaft support	1	Acetalic resin	
16	Upper shaft support	1	Acetalic resin	
17	Scotch yoke	1	Steel alloy	UNI 90MnVCr8Ku - DIN 1.2842 Hardened
18	External elastic pin of the yoke	1	Steel alloy	
19	Internal elastic pin of the yoke	1	Steel alloy	
20*	O-ring (upper sealing shaft)	1	FKM	
21*	O-ring (low sealing shaft)	1	FKM	
22	Piston	2	Aluminium alloy	EN AB 46100
23*	Piston's support	4	P.T.F.E. Carbo-Graphite filled	
24*	Dynamic seal (piston)	2	Polyurethane	
25	Rotative sleeve	2	Steel alloy	
26	Bush	2	Steel alloy	UNI 110w4Ku - DIN 1.2516
27*	Piston o-ring	2	Nitrilic rubber	
28*	External support ring	1	Acetalic resin	