



POS.	DENOMINATION	Q.	MATERIALS	STANDARDS
1	Steel bush	1	Steel alloy	
2	Steel pin	1	Steel alloy	
3	Body	1	Aluminium alloy	Anodized
4	Grub screw	1	Steel alloy	
5*	O-ring	2	Nitrilic rubber	
6	Shaft	1	Steel alloy	
7	Screw	1	Steel alloy	
8*	Bearing (shaft bottom)	1	Acetalic resin	
9*	O-ring	1	FKM	
10*	O-ring	1	FKM	
11	Low bearing bush	1	Aluminium alloy	Anodized
12	Screw	2	Steel alloy	
13	Bearing shaft	1	Acetalic resin	
14	Spacer	1	Aluminium alloy	EN AW 6063 Anodized
15	Cap	1	Aluminium alloy	Anodized
16	Cap screws	7	Steel alloy	
17	Cap nut	7	Steel alloy	
18	Grub screw	1	Steel alloy	
19	Nut	1	Steel alloy	
20	Grub screw	1	Steel alloy	
21*	O-ring	1	Nitrilic rubber	
22	Scotch yoke	1	Steel alloy	UNI 90MnVCr8Ku – DIN 1.2842 Hardened
23	Bearing shaft	1	Acetalic resin	
24*	O-ring	2	Nitrilic rubber	
25*	Bearing (shaft top)	1	Acetalic resin	
26*	O-ring	1	FKM	
27*	Thrust bearing	1	Acetalic resin	
28	Washer	1	Steel alloy	
29	Seeger	1	Steel alloy	
30	Spring pin	1	Steel alloy	
31*	Bearing (piston back)	2	Acetalic resin	
32	Piston	1	Aluminium alloy	
33*	O-ring	1	Nitrilic rubber	
34*	Bearing (piston head)	2	Acetalic resin	
35	Lateral cylinder	1	Aluminium alloy	EN AW 6063 Anodized
36*	O-ring	2	Nitrilic rubber	
37	Cap	1	Aluminium alloy	Anodized
38	Cap screws	7	Steel alloy	
39	Cap nut	7	Steel alloy	
40*	O-ring	1	Nitrilic rubber	
41	Nut	1	Steel alloy	
42	Nut	1	Steel alloy	
43	Screw	1	Steel alloy	
44	O-ring	1	Nitrilic rubber	
45	Spring cap	1	Aluminium alloy	
46	O-ring	1	Nitrilic rubber	
47	Spring cap	1	Aluminium alloy	
48	Spring outside	1	Steel alloy	
49	Spring inside	1	Steel alloy	

\*KIT PARTS